

PROPERTIES OF THE WEALTH PROCESS IN A MARKET MICROSTRUCTURE MODEL

TED THEODOSOPOULOS AND MING YUEN

ABSTRACT. In this short paper we define the wealth process in a spin model for market microstructure, for individual agents and in aggregate. The agents in our model try to balance their desire to belong to the local majority (herding behavior), defined over random network neighborhoods, and the occasional advantage of belonging to the global minority (contrarian trading). We arrive at a classification of the martingale properties of this wealth process and use it to determine the strategic stability of the agents' interactions. Our goal is to add a behavioral interpretation to this stochastic agent-based model for market fluctuations.

1. INTRODUCTION

Over the past two years a series of models have been proposed that attempt to study the microstructure of financial transactions. An increasing portion of these models are motivated from analogy to physical systems that exhibit the type of distributed decision making and frustrated coordination regimes that characterize market empirically [1]. We are interested in adding some economic motivation to the statistical mechanics of a class of spin market models.

The class of models we will investigate aims to capture the trade-off between two competing drives that motivate market participants. On the one hand, each agent in the interaction network receives input (e.g. advice, information, opinions) from a randomly chosen neighborhood. The receiving agents tries to conform their behavior to the norm expressed in this local interaction. On the other hand, each agent receives information about the global imbalance between buy and sell interest in the market. Under certain conditions, it is preferable for the agent to position themselves in the global minority, in anticipation of a move by the entire network.

The former consideration is the basis of the traditional voter process [6, 8], which is used to model herding behavior. The latter has given rise to the minority game and its variants [2, 3], as models for contrarian trading. Bonrholdt and collaborators combined these two incentives into the Hamiltonian for a spin system that models market microstructure [7]. A variant of this process was studied analytically in [9] and the invariant measure was characterized. Also, an uncertainty relation was observed, which poses a fundamental limit to the amount of control one can have on a market of this type.

Here we use the representation of the process arrived at in [9] to define and investigate the wealth process for individual agents and the market as a whole. We start by reviewing the model and establishing our notation. We then proceed to

Date: February 1, 2005.

Key words and phrases. Spin market model, wealth process, martingale characterization, strategic stability.

present our main result, which leads to a classification of the possible qualitative behaviors for the wealth process. In the following sections we characterize the strategic stability of the wealth process, and analyze the residual risk for the wealth of an individual agent and the aggregate wealth of the market. Finally we show some numerical results regarding the path properties of the stochastic process that go beyond the invariant measure from [9].

2. MODEL DESCRIPTION

The model we use is a variant of Bornholdts spin market model [7] that was presented in [9]. The state space X of our model is the set of spin configurations on a lattice on the d -dimensional torus¹ $Y \doteq (\mathcal{Z}/L)^d \subset \mathcal{T}^d$, i.e. $X \subset \{-1, 1\}^Y$, for an appropriately chosen L so that $|Y| = N$. The path of a typical element of X is given by $\eta : Y \times (0, \infty) \longrightarrow \{-1, 1\}$ and each site $x \in Y$ is endowed with a (typically ℓ_1) neighborhood $\mathcal{N}(x) \subset Y$ it inherits from the natural topology on the torus $\mathcal{T}^d$. In this paper a version of rapid stirring [4] is applied by randomizing the neighborhood structure $\mathcal{N}(\cdot)$. In particular, for each $x \in Y$, $\mathcal{N}(x)$ is a uniformly chosen random subset of Y , of cardinality $2d$. To be more precise, for a set A and a positive integer k , let $F(A, k) = \{(a_1, a_2, \dots, a_k) \in A^k \mid a_i \neq a_j \ \forall i, j = 1, 2, \dots, k\}$. Then, for any $x \in Y$, let $\{\mathcal{N}(x, \cdot)\}$ be a family of iid uniform random variables taking values in $F(Y \setminus \{x\}, 2d)$.

We construct a continuous time Markov process with transitions occurring at exponentially distributed epochs, T_n , with rate 1. We proceed to construct a transition matrix for the spins, based on the following interaction potential:

$$h(x, T_n) = \sum_{y \in \mathcal{N}(x, n)} \eta(y, T_n) - \alpha \eta(x, T_n) N^{-1} \left| \sum_{y \in Y} \eta(y, T_n) \right|,$$

where $\alpha > 0$ is the coupling constant between local and global interactions. At time T_n (i.e. the n th epoch) a random site x is chosen and its spin is changed to $+1$ with probability $p^+ \doteq (1 + \exp\{-2\beta h(x, T_n)\})^{-1}$ and to -1 with probability $p^- = 1 - p^+$, where β is the normalized inverse temperature. We define the price and volume processes as follows:

$$\begin{aligned} P(t) &= P^*(t) \exp \left\{ \lambda N^{-1} \sum_{y \in Y} \eta(y, t) \right\} \\ V(t) &= N^+(t) \vee N^-(t) \end{aligned}$$

where $a \vee b = \max\{a, b\}$, $a \wedge b = \min\{a, b\}$, λ is a parameter, P^* is an exogenous previsible ‘fundamental’ price process [7] (which we assume identically equal to 1 for purposes of the current study) and $N^\pm(t) \doteq |\{y \in Y \mid \eta(y, t) = \pm 1\}|$ denotes the number of sites with a positive or negative spin respectively. Using the auxiliary variables $\bar{X}_n = N^+(T_n) - N^+(T_{n-1})$, $X_n = |\bar{X}_n|$ and $Y_n = |2N^+(T_n) - N|$, we can express $V(T_n) = (Y_n + N)/2$ and the volatility,

$$(2.1) \quad \sigma \left(\log \frac{P(T_n)}{P(T_{n-1})} \middle| \mathcal{F}_{n-1} \right) = \frac{2\lambda}{N} \sqrt{P(X_n = 0) P(X_n = 1)}.$$

¹Here we use the notation $\mathcal{T}^d$ to denote the object $\underbrace{\mathcal{S}^1 \times \dots \times \mathcal{S}^1}_d$.

The invariant measure of the state variable N^+ was characterized in [9]. Specifically, it was shown that when the coupling constant α is large compared to the network connectivity (specifically greater than the degree, $2d$) then the process is in the *supercritical regime*, which maintains persistent market excitation even in the *frozen* phase of this spin model ($\beta \rightarrow \infty$).

3. MARTINGALE ANALYSIS OF THE WEALTH PROCESS

In the current paper we restrict our attention to the frozen phase of the supercritical regime of this market microstructure model. We proceed to define the wealth process of agent y as

$$W(y, T_k) \doteq \begin{cases} W(y, T_{k-1}) & \text{for } J_k = y; \\ W(y, T_{k-1}) + \eta(y, T_{k-1}) \Delta P(T_k) & \text{otherwise.} \end{cases},$$

where $J_k \in \{1, 2, \dots, N\}$ is the agent chosen on the k^{th} epoch T_k , and $W(y, 0) = K(y)$ representing the initial capital available to agent y . Our interest will be in characterizing the martingale properties of $W(y, \cdot)$ as well as the aggregate wealth, W , defined as

$$\begin{aligned} W(T_k) &= W(T_{k-1}) + \Delta P(T_k) \sum_{y \in Y} \eta(y, T_{k-1}) \\ (3.1) \quad &= W(T_{k-1}) + \Delta P(T_k) [2N^+(T_{k-1}) - N + \bar{X}_k]. \end{aligned}$$

It will be helpful in our presentation to develop the following notation, where i represents the state N^+ of the Markov process:

$$\begin{aligned} c &= \left\lceil \alpha \left| \frac{i}{N} - \frac{1}{2} \right| \right\rceil, \quad f_+(i, j) = C_j^{i-1} C_{2d-j}^{N-i} / C_{2d}^{N-1} \quad f_-(i, j) = C_j^i C_{2d-j}^{N-i-1} / C_{2d}^{N-1} \\ P_{++}(i) &= P_{--}(i) = 0 \quad \text{if } i \notin [N(\frac{1}{2} - \frac{d}{\alpha}), N(\frac{1}{2} + \frac{d}{\alpha})] \\ P_{++}(i) &= \frac{i}{N} \sum_{j=(d+c) \vee (i+2d-N)}^{2d \wedge i} f_+(i, j) \quad \text{if } i \in [N(\frac{1}{2} - \frac{d}{\alpha}), N(\frac{1}{2} + \frac{d}{\alpha})] \\ P_{--}(i) &= (1 - \frac{i}{N}) \sum_{j=0 \vee (i+2d-N)}^{(d-c) \wedge i} f_-(i, j) \quad \text{if } i \in [N(\frac{1}{2} - \frac{d}{\alpha}), N(\frac{1}{2} + \frac{d}{\alpha})] \\ P_{+-} &= \frac{i}{N} - P_{++}, \quad P_{-+} = \left(1 - \frac{i}{N}\right) - P_{--} \end{aligned}$$

where C_k^n denotes the combinations n choose k .

We begin by observing that

$$(3.2) \quad \Delta P(T_k) = P(T_{k-1}) \left\{ e^{\frac{2\lambda \bar{X}_k}{N}} - 1 \right\}.$$

Therefore

$$\begin{aligned} \mathbf{E} \left[e^{\frac{2\lambda \bar{X}_k}{N}} - 1 \mid \mathcal{B}_{k-1} \right] &= \left(e^{\frac{2\lambda}{N}} - 1 \right) P_{+-} + \left(e^{\frac{2\lambda}{N}} - 1 \right) P_{-+} \\ &= \left(e^{\frac{2\lambda}{N}} - 1 \right) \left(P_{-+} - e^{-\frac{2\lambda}{N}} P_{+-} \right), \end{aligned}$$

and

$$\begin{aligned} \mathbf{E} \left[\bar{X}_k \left(e^{\frac{2\lambda \bar{X}_k}{N}} - 1 \right) \mid \mathcal{B}_{k-1} \right] &= - \left(e^{\frac{2\lambda}{N}} - 1 \right) P_{+-} + \left(e^{\frac{2\lambda}{N}} - 1 \right) P_{-+} \\ &= \left(e^{\frac{2\lambda}{N}} - 1 \right) \left(P_{-+} + e^{-\frac{2\lambda}{N}} P_{+-} \right), \end{aligned}$$

Putting these observations together and using (3.1) and (3.2) we see that

$$\begin{aligned} \mathbf{E}[W(T_k) - W(T_{k-1}) | \mathcal{B}_{k-1}] &= P(T_{k-1}) \left\{ [2N^+(T_{k-1}) - N] \mathbf{E} \left[e^{\frac{2\lambda \bar{X}_k}{N}} - 1 \mid \mathcal{B}_{k-1} \right] + \right. \\ &\quad \left. + \mathbf{E} \left[\bar{X}_k \left(e^{\frac{2\lambda \bar{X}_k}{N}} - 1 \right) \mid \mathcal{B}_{k-1} \right] \right\} = \end{aligned}$$

(3.3)

$$= P(T_{k-1}) \left(e^{\frac{2\lambda}{N}} - 1 \right) \left\{ [2N^+(T_{k-1}) - N + 1] P_{-+} - e^{-\frac{2\lambda}{N}} [2N^+(T_{k-1}) - N - 1] P_{+-} \right\}$$

A similar analysis leads to the following statement for the conditional expectation of the increments of the wealth for agent y :

$$\begin{aligned} \mathbf{E}[W(y, T_k) - W(y, T_{k-1}) | \mathcal{B}_{k-1}] &= \\ (3.4) \quad &= \eta(y, T_{k-1}) P(T_{k-1}) \left(1 - \frac{1}{N} \right) \left(e^{\frac{2\lambda}{N}} - 1 \right) \left\{ P_{-+} - e^{-\frac{2\lambda}{N}} P_{+-} \right\} \end{aligned}$$

Figure 1 shows a sample path of N^+ , W . As expected, the distribution of N^+ converges to the trimodal invariant measure described in [9]. The following theorem uses the conditional expectations of the wealth increments arrived at in (3.3) to characterize the stochastic dynamics of the wealth process:

Theorem 3.1. *There exist four integer functions $g_1(\alpha)$, $g_2(\lambda)$, $g_3(\lambda)$ and $g_4(\alpha, \lambda)$ such that the aggregate wealth process W is a submartingale [5] while the Markov process N^+ is the region $[g_1(\alpha), g_2(\lambda)] \cup [g_3(\lambda), g_4(\alpha, \lambda)]$. Moreover, g_1 is an increasing function of α , g_2 is a decreasing while g_3 is an increasing function of λ and g_4 is increasing with respect to λ and decreasing with respect to α . Two qualitative transitions occur as α and λ vary:*

- (1) *For large enough λ , g_2 becomes equal to g_1 , and then the lower interval disappears.*
- (2) *On the other hand, for small enough λ , $g_2(\lambda)$ becomes equal to $g_3(\lambda)$ and the two intervals merge, while $g_1(\alpha) = \arg \sup_{i < N/2} \pi_\infty(i)$ and $\lim_{\lambda \rightarrow 0} g_4(\alpha, \lambda) = \arg \sup_{i > N/2} \pi_\infty(i)$, where π_∞ is the invariant measure of the Markov process N^+ in the frozen phase [9].*

The table below illustrates the functions g_1, g_2, g_3, g_4 and their dependence on α and λ .

N	α	d	λ	g_1	g_2	g_3	g_4
128	5	2	7	39			89
128	5	2	8	39	44	54	89
128	5	2	9	39	40	56	89
128	5	2	10			57	89
128	5	2	64			63	109
128	4.1	2	7	33			95
128	4.1	2	8	33	44	54	95
128	4.1	2	9	33	40	56	95
128	4.1	2	10	33	38	57	95
128	4.1	2	11	33	36	58	95
128	4.1	2	12	33	34	59	95
128	4.1	2	13	33	33	59	95
128	4.1	2	14			60	95
128	4.1	2	64			63	109




FIGURE 1. A simulation of the wealth process in the frozen phase of the supercritical regime for 10,000 steps ($d = 2, N = 128, \alpha = 4.1, \lambda = 1$). The last three frames are included for illustration purposes only. They assume that the agent maintains their spin throughout the simulation, which is clearly a very unlikely event.

4. STRATEGIC STABILITY AND PATH PROPERTIES

We saw earlier in (2.1) that the parameter λ is proportional to the price volatility in this spin market model. Thus one can conclude from Theorem 3.1 that sufficiently volatile markets experience a submartingale aggregate wealth process (i.e. the market generates wealth on average) if and only if there is a surplus of buyers.

Using (3.4) and the same logic as above we can deduce that the individual wealth process follows a qualitatively similar process. The primary difference is that the individual wealth process increments depend on the spin at the site under consideration. Thus, when the aggregate wealth follows a submartingale with a surplus of sellers (which, as we saw before, can only occur for low enough price volatility) the buyers follow a supermartingale. If they were allowed to flip their spins independently, rather than follow the stochastic process, they would choose




FIGURE 2. This histogram shows the amount of time the Markov process spends in the state $N^+ = x$ as a function of x . The simulation from which this histogram is constructed ran for 10^5 steps with $d = 2$, $N = 128$, $\alpha = 6$, $\lambda = 1$.

to do so, in order to experience a submartingale wealth process. In so doing they would reduce N^+ , bringing closer to g_1 .

The same strategic argument can be applied to a market with a surplus of buyers. As a result, of this argument and Theorem 3.1, we can deduce that these stochastic market dynamics have two strategically stable equilibria, at g_1 and g_4 . We would therefore expect the market to spend most of the time in the vicinity of these two states. Figure 2 confirms this expectation for a random sample path for the process.

Figures 3 and 4 illustrate the importance of the crossings of g_1 and g_4 for a random path of the wealth process. In this instance, λ (and therefore price volatility) is low, and so the two intervals have merged, leaving only the interval $[43, 85]$. Observe that the crossings of the upper bound lead to substantially more volatile wealth than the crossings of the lower bound, which correspond to significantly smaller fluctuations of the expected wealth increments.




FIGURE 3. This sequence of graphs shows the aggregate accumulation of wealth during a random sample path of length 10^5 , with $d = 2, N = 128, \alpha = 6, \lambda = 1$. The blue dots corresponds to instances when the path passes from $g_1 = 43$ while the red dots corresponds to crossings of $g_4 = 85$.

5. RISK ANALYSIS

We can extend the analysis that led to the martingale characterization of the wealth process to obtain an expression for the variance of the aggregate and individual wealth:

$$\begin{aligned}
 V(W(T_k) - W(T_{k-1}) | \mathcal{B}_{k-1}) &= P(T_{k-1})^2 \left(e^{\frac{2\lambda}{N}} - 1 \right)^2 \\
 &\quad \left\{ [2N^+(T_{k-1}) - N + 1]^2 P_{-+} (1 - P_{-+}) + \right. \\
 &\quad + e^{-\frac{4\lambda}{N}} [2N^+(T_{k-1}) - N - 1]^2 P_{+-} (1 - P_{+-}) + \\
 &\quad \left. + 2e^{-\frac{2\lambda}{N}} P_{-+} P_{+-} ([2N^+(T_{k-1}) - N]^2 - 1) \right\}
 \end{aligned}
 \tag{5.1}$$




FIGURE 4. This sequence shows the evolution of the expected increments of the aggregate wealth along the same path as Figure 3. Here the red dots populate the highest peaks, while the blue dots are restricted to the second-highest set of peaks.

We proceed to apply (5.1) to the sample paths of the our stochastic process and investigate the relationship between expected gains/losses and the standard deviation of the wealth increments (i.e. the square root of the expression in (5.1) as a measure of risk. Figure 5 illustrates this relationship. The graph exhibits four disconnected branches. Two branches correspond to expected losses, for which the standard deviation has a fixed negative slope. The branch with the higher risk corresponds to excursions of N^+ above g_4 while the lower risk branch corresponds to excursions below g_1 .

The two remaining branches in Figure 5 correspond to gains. Both exhibit a significantly nonlinear, increasing relationship between risk and gain/loss. The blue circle at the end of the lower risk branch corresponds to crossings of g_1 . Specifically, the entire lower right branch corresponds to fluctuations of N^+ between g_1 and $N/2$, which corresponds to the vertical asymptote towards zero risk. When the




FIGURE 5. This graph shows the standard deviation of ΔW as a function of $\mathbf{E}[\Delta W]$.

path crosses $N/2$ and approaches g_4 , then we find ourselves on the upper right branch, which culminates with the red circle corresponding to crossings of g_4 .

From this analysis we can conclude that stochastic fluctuations of the market away from the stable equilibrium with surplus buyers introduces more risk to the aggregate wealth process than those around the stable equilibrium with surplus sellers.

6. SOJOURN TIMES OF THE WEALTH PROCESS

We complete our analysis by investigating the distribution of times the wealth process spends following a sub- or super-martingale. Let $\tau_\ell(i)$ denote the duration of the ℓ^{th} and $(\ell + 1)^{\text{st}}$ crossings of the state $N^+ = i$. Specifically, for each i , define recursively the infinite sequence of stopping times

$$\begin{aligned} \tilde{T}_0(i) &= 0, \\ \tilde{T}_\ell(i) &= \inf_k \left\{ T_k > \tilde{T}_{\ell-1}(i) \mid N^+(T_k) = i \text{ and } \bar{X}_k \bar{X}_{k+1} > 0 \right\}. \end{aligned}$$

Then

$$\tau_\ell(i) = \tilde{T}_\ell(i) - \tilde{T}_{\ell-1}(i),$$

is the stochastic process we are interested in. Figure 6 shows the tails of the τ_ℓ as ℓ increases. We observe that a cubic polynomial fits the logarithm of these tails admirably, leading to a model of the type

$$\lim_{\ell \rightarrow \infty} \Pr(\tau_\ell(i) > t) \approx \exp \{ C_3 t^3 + C_2 t^2 + C_1 t + C_0 \}.$$

We have numerical evidence that these coefficients are robust to uncertainty about λ and α , so long as the qualitative behavior as described by Theorem 3.1 does not change.




FIGURE 6. Spline models for the tails of the inter-crossing distributions for a random path with $d = 2$, $N = 128$, $\alpha = 6$; λ is 1 for the top two and 5 for the bottom two graphs.

7. CONCLUSIONS AND NEXT STEPS

In this paper we derived some properties of the stochastic process that describes the wealth accumulated by agents in the market microstructure model introduced in [9]. Specifically, our intention was to investigate a putative incentive structure which motivates the agents to act according to the interacting particle dynamics [4]. If successful, such an endeavor will likely help bridge the gap between mechanistic models for the emergence of randomness in market microstructure and their behavioral counterparts.

Our results so far have allowed us to take some steps in this direction. First, we were able to deduce the stable equilibria of the stochastic system by studying the strategic incentives that each agent faces in their attempt to secure a submartingale wealth process. In this context, it is interesting to observe that we can use our analysis to predict that, in a market of the type modeled here, there will generally occur instances of discontinuous jumps of the equilibrium configuration, as necessitated by qualitative changes to the submartingale ranges from Theorem 3.1. For example, when $g_2 \rightarrow g_1$, the stable equilibrium at g_1 eventually disappears. The small fluctuations around g_1 that were supported by its status as a stable equilibrium are no longer tenable, leading to large fluctuations that will bring the market quickly in the neighborhood of g_4 .

Second, we saw that the process indeed tends to spend the majority of time in the neighborhood of the strategically preferred equilibria, leading the wealth process to approximate a martingale. This result can be explained equally well mechanistically using the invariant measure for the Markov process [9], or behaviorally on the basis of the incentive structure faced by the individual agents.

Third, we obtained some insight into some inherent asymmetries in this market microstructure model. The two stable equilibria are only symmetric for very low volatility. Even then, the risk is different in the neighborhood of each one. As price volatility increases, so does the asymmetry of the wealth process, passing first from a complex intermediate stage characterized by two disconnected intervals of submartingale behavior, to arrive finally at a unique equilibrium with significant buyer surplus.

Our results have motivated us to look more closely at the path properties of the wealth process. A more thorough analysis of the excursions away from the two equilibria may shed some light into the nature of the risk asymmetry observed above. Furthermore, we believe that a deeper understanding of the sojourn time distributions will help us characterize the properties of the accumulated growth process, which is the stochastic integral of the increments we investigated here with respect to the invariance measure on N^+ .

Finally, our interest lies in adding explicit strategic degrees of freedom to the agents. One possibility that we have begun investigating is to allow agents to maintain a memory of the inputs they receive from their local neighborhood as well as the global imbalance. In such an environment we would like to know if any agent has an incentive to increase their memory. The analysis of the wealth process presented here can serve as the basis for such behavioral extensions of the original spin market model, by providing the incentive structure to motivate the agents to behave strategically.

REFERENCES

- [1] Bouchaud, J.-P., Gefen, Y., Potters, M., Wyart, M.: Fluctuations and response in financial markets: the subtle nature of ‘random’ price changes. *Quantitative Finance* **4** (2004), 176-190.
- [2] Burgos, E., Ceva, H., Perazzo, R.P.J.: The evolutionary minority game with local coordination. *Physica A*, **337** (2004), 635-644.
- [3] Challet, D., Marsili, M., De Martino, A.: Stylized facts in minority games with memory: a new challenge. *Physica A*, **338** (2004), 143-150.
- [4] Durrett, R.: Ten lectures on particle systems. In: *Lectures on probability theory* (Saint-Flour, 1993), 97-201. *Lecture Notes in Mathematics*, 1608, Springer, Berlin, 1995.
- [5] Feller, W.: *An introduction to probability theory and its applications*, Vol. II, 2nd ed., Wiley, New York, 1971.
- [6] Granovsky, B.L., Madras, N.: The noisy voter model. *Stochastic Processes and their Applications* **55** (1995), 23-43.
- [7] Kaizoji, T., Bornholdt, S., Fujiwara, Y.: Dynamics of price and trading volume in a spin market model of stock markets with heterogeneous agents. *Physica A* **316** (2002), 441-452.
- [8] Majka, A., Woslicki, W.: Statistical thermodynamics for choice models on graphs. *Physica A*, **337** (2004), 645-663.
- [9] Theodosopoulos, T.: Uncertainty relations in models of market microstructure, preprint, <http://arxiv.org/pdf/math.PR/0409076>, 2004.

DEPARTMENT OF DECISION SCIENCES AND, DEPARTMENT OF MATHEMATICS, DREXEL UNIVERSITY, PHILADELPHIA, PA 19066

E-mail address: `theo@drexel.edu`

URL: `www.lebow.drexel.edu/theodosopoulos`

DEPARTMENT OF DECISION SCIENCES, DREXEL UNIVERSITY, PHILADELPHIA, PA 19066

E-mail address: `my23@drexel.edu`